

Source: PartTarget.com

http://www.parttarget.com/nsn-parts-manufacturers_B_5.html/-BA20528A-C8A8-4338-B104-879F384CE0FC

Band-IT Co. LTD NSN Parts

CAGE	Address	Type	Status
U4738	SPEEDWELL INDUSTRIAL ESTATE, STAVELEY CHESTERFIELD, S43 3PF, UNITED KINGDOM	E	A

FSC 4730 Hose, Pipe, Tube, Lubrication, and Railing Fittings

MFG SKU	NSN	Item Name	Details	CAGE Code	RFQ
V056	4730-01-258-0732	Clamp, Hose	Material: Steel corrosion resisting overall Style Designator: C21 band Overall Width: 0.562 inches nominal	U4738	

FSC 5340 Hardware, Commercial

MFG SKU	NSN	Item Name	Details	CAGE Code	RFQ
A50799	5340-01-542-4354	Bracket, Mounting	III End Item Identification: 600-065 calibration kit for all banding tools	U4738	
A50899	5340-01-542-4350	Bracket, Mounting	III End Item Identification: 600-065 calibration kit for all banding tools	U4738	
A50999	5340-01-542-4352	Bracket, Mounting	III End Item Identification: 600-065 calibration kit for all banding tools	U4738	

FSC 5110 Hand Tools, Edged, Nonpowered

MFG SKU	NSN	Item Name	Details	CAGE Code	RFQ
A40699	5110-01-522-9378	Blade kit, cut off	Special Features: Consists of the blade , 2 E-rings and 1 pin; blade dimensions 1.000 inch long, 0.250 inch wide; pin 0.540 inch long 0.125 inch dia; E-ring 0.230 inch dia internal hole 0.093 porm 0.002; 0.015 porm 0.002 thick; material is heat treated steel sinished with black oxide and rust preventative	U4738	
A40787	5110-01-541-5844	Cutter Knife	Material: Steel END Item Identification: 600-058 hand banding tool and 600-067 pneumatic banding tool Overall Length: 0.688 inches nominal Material: Steel End Item Identification: 600-058 hand banding tool and 600-067 pneumatic banding tool	U4738	

FSC 5120 Hand Tools, Nonedged, Nonpowered

MFG SKU	NSN	Item Name	Details	CAGE Code	RFQ
A40199	5120-01-357-6878	Installation Tool, cable Tie	Functional Description: Used to secure tie-dex bands around electrical cable to provide a permanent shield termination	U4738	

FSC 6625 Electrical and Electronic Properties Measuring and Testing Instruments

MFG SKU	NSN	Item Name	Details	CAGE Code	RFQ
A50099	6625-01-542-4349	Calibration kit, Banding Tools	Special Features: Includes a calibration device; 50 micro test bands; 50 standard test bands, calibration key, 3 mounting bracket kits; range of calibration device is 60-170 lbs	U4738	
A50189	6625-01-521-6479	Device, Calibration	End Item Identification: Calibration kit	U4738	Quote
A44699	6625-01-521-6480	Key, Calibration	End Item Identification: Banding tool	U4738	
A50599	6625-01-521-6477	Test Band, Calibrati	End Item Identification: Calibration kit General Characteristics Item Description: 50 standard test bands	U4738	Quote
A50699	6625-01-521-6478	Test Bank, Calibrati	End Item Identification: Calibration kit General Characteristics Item Description: 50 micro test bands per pack Part Name Assigned BY Controlling Agency: Micro test bands	U4738	

FSC 5340 Hardware, Commercial

MFG SKU	NSN	Item Name	Details	CAGE Code	RFQ
CE5039	5340-01-625-9151	Band, Retaining	III Part Name Assigned BY Controlling Agency: Hardware, commercial Special Features: Banding 10MM Material: Copper alloy 511	U4738	
CE5059	5340-01-625-9153	Band, Retaining	III Part Name Assigned BY Controlling Agency: Banding 16MM Special Features: Band lenght 100 feet Material: Copper alloy 511	U4738	Quote
CE5539	5340-01-625-9150	Buckle	III Part Name Assigned BY Controlling Agency: Banding buckle 10MM, phosphor bronze Special Features: Box of 100	U4738	
CE5559	5340-01-625-9148	Buckle	Overall Length: 0.148 inches nominal Overall Width: 0.930 inches nominal Special Features: Banding buckle 16MM phosphor bronze box quantity of 100	U4738	Quote

Band-IT-Idex Inc. NSN Parts

CAGE	Address	Type	Status
3BBM2	4799 DAHLIA ST, DENVER, CO, 80216-3222, UNITED STATES	A	A
70847	4799 DAHLIA ST, DENVER, CO, 80216-0307, UNITED STATES	A	A

FSC 2815 Diesel Engines and Components

MFG SKU	NSN	Item Name	Details	CAGE Code	RFQ
A87188	2815-00-609-3324	Connector, Tube, Angl			70847

FSC 4730 Hose, Pipe, Tube, Lubrication, and Railing Fittings

MFG SKU	NSN	Item Name	Details	CAGE Code	RFQ
---------	-----	-----------	---------	-----------	-----

	15028 4730-01-306-6275	Adapter, Straight, Pipe to Hose	Material: Steel overall Connection Style: M67B plain (pipe) 1ST end N107 barbed or beaded (hose) 2ND end Connection Type: Threaded external pipe 1ST end unthreaded external hose 2ND end	70847
E006	4730-01-245-1493	Adapter, Straight, Pipe to Hose	Material: Steel overall Connection Style: M67B plain (pipe) 1ST end N106 barbed or beaded (hose) 2ND end Connection Type: Threaded external pipe 1ST end unthreaded external hose 2ND end	70847
E010	4730-01-245-1494	Adapter, Straight, Pipe to Hose	Material: Steel overall Connection Style: M67B plain (pipe) 1ST end N106 barbed or beaded (hose) 2ND end Connection Type: Threaded external pipe 1ST end unthreaded external hose 2ND end	70847
E018	4730-00-489-2537	Adapter, Straight, Pipe to Hose	Material: Steel overall Connection Style: M67B plain (pipe) 1ST end N102A beaded hose 2ND end Connection Type: Threaded external pipe 1ST end unthreaded external hose 2ND end	70847
E020	4730-01-228-6942	Adapter, Straight, Pipe to Hose	Material: Steel overall Connection Style: M67B plain (pipe) 1ST end N100C plain (hose) 2ND end Connection Type: Threaded external pipe 1ST end unthreaded external hose 2ND end	70847
E028	4730-01-306-6275	Adapter, Straight, Pipe to Hose	Material: Steel overall Connection Style: M67B plain (pipe) 1ST end N107 barbed or beaded (hose) 2ND end Connection Type: Threaded external pipe 1ST end unthreaded external hose 2ND end	70847
E028/5INHOSEIDX E0285INHOSEIDX	4730-01-306-6275	Adapter, Straight, Pipe to Hose	Material: Steel overall Connection Style: M67B plain (pipe) 1ST end N107 barbed or beaded (hose) 2ND end Connection Type: Threaded external pipe 1ST end unthreaded external hose 2ND end	70847
E034	4730-00-965-6538	Adapter, Straight, Pipe to Hose	Material: Steel overall Connection Style: M67B plain (pipe) 1ST end N106 barbed or beaded (hose) 2ND end Connection Type: Threaded external pipe 1ST end unthreaded external hose 2ND end	70847
E036	4730-00-401-0135	Adapter, Straight, Pipe to Hose	Material: Steel overall Connection Style: M67B plain (pipe) 1ST end N106 barbed or beaded (hose) 2ND end Connection Type: Threaded external pipe 1ST end unthreaded external hose 2ND end	70847
E640	4730-01-261-3980	Adapter, Straight, Pipe to Hose	Material: Steel comp 316 overall Connection Style: M67B plain (pipe) 1ST end N106 barbed or beaded (hose) 2ND end Connection Type: Threaded external pipe 1ST end unthreaded external hose 2ND end	70847
E804	4730-01-098-3904	Adapter, Straight, Pipe to Hose	Material: Steel overall Connection Style: M67B plain (pipe) 1ST end N106 barbed or beaded (hose) 2ND end Connection Type: Threaded external pipe 1ST end unthreaded external hose 2ND end	70847
H122	4730-01-246-5118	Adapter, Straight, Pipe to Hose	Material: Steel overall Connection Style: M67B plain (pipe) 1ST end M67C plain (hose) 2ND end	70847

			Connection Type: Threaded external pipe 1ST end threaded external hose 2ND end	
H140	4730-01-110-3741	Adapter, Straight, Pipe to Hose	Material: Steel overall Connection Style: M67B plain (pipe) 1ST end N106 barbed or beaded (hose) 2ND end Connection Type: Threaded external pipe 1ST end unthreaded external hose 2ND end	70847
H240	4730-01-436-2860	Adapter, Straight, Pipe to Hose	Connection Type: Threaded internal pipe 1ST end unthreaded internal hose 2ND end Special Features: Shank length 1.500 in Maximum Operating Pressure: 8000.0 pounds per square inch single response	70847
C275	4730-01-081-5822	Clamp kit, Hose	Special Features: 17 industrial ITEMS:1 steel container, 1 band-it tool, 1 nut tension, bands 201 steel 1 each size W IN.1/4, 3/8, 1/2, 5/8, 3/4;BUCKELES 201 steel 2 boxes each size W in. 1/4, 3/8, 1/2, 3/4 and 1 box size W in. 5/8	70847
M210	4730-01-023-6508	Clamp set, Hose	General Characteristics Item Description: 25 clamp seals, 25 clamp racks, 100 feet of 3/8 in. wide clamp band, all components stainless steel	70847
20218	4730-01-388-0676	Clamp, Hose	Material: Steel comp 201 overall Style Designator: C13 adjustable band Overall Width: 0.750 inches nominal	70847
20246	4730-01-196-8798	Clamp, Hose	Material: Steel comp 201 overall Style Designator: C13 adjustable band Overall Width: 0.375 inches nominal	70847
A10086	4730-01-316-5781	Clamp, Hose	Material: Steel comp 304 overall Style Designator: C28 general purpose use Surface Treatment: Passivate overall	70847

FSC 4730 Hose, Pipe, Tube, Lubrication, and Railing Fittings

MFG SKU	NSN	Item Name	Details	CAGE Code	RFQ
BANDITJR	4730-00-052-9966	Clamp, Hose	Material: Steel corrosion resisting overall Style Designator: C13 adjustable band Surface Treatment: Any acceptable overall	70847	
CLAMP NO 6 CLAMPNO6	4730-01-236-8013	Clamp, Hose	Material: Steel comp 201 overall Style Designator: C13 adjustable band Overall Width: 0.625 inches nominal	70847	
ID X 1/2IN BAND IDX12INBAND	4730-01-014-1078	Clamp, Hose	Material: Steel comp 201 overall Style Designator: Adjustable band Surface Treatment: Any acceptable overall	70847	
J-407 J407	4730-00-830-2615	Clamp, Hose	Material: Steel comp 302 overall Style Designator: C13 adjustable band Surface Treatment: Passivate overall	70847	
J-409 J409	4730-00-876-8903	Clamp, Hose	Material: Steel corrosion resisting overall Style Designator: Adjustable band Inside Diameter: 2.500 inches nominal	70847	
J201	4730-00-884-4004	Clamp, Hose	Material: Steel comp 201 overall Style Designator: C13 adjustable band Nondefinitive Spec/Std Data: 128C700H04 part	70847	
J202	4730-00-883-7604	Clamp, Hose	Material: Steel comp 201 overall Style Designator: C13 adjustable band Material Document and Classification: 66 fed std single material response overall	70847	
J204	4730-01-014-1078	Clamp, Hose	Material: Steel comp 201 overall	70847	

			Style Designator: Adjustable band Surface Treatment: Any acceptable overall	Quote
J204-201 J204201	4730-01-014-1078	Clamp, Hose	Material: Steel comp 201 overall Style Designator: Adjustable band Surface Treatment: Any acceptable overall	70847
J204/CAT NO "BA J204CATNOBA	4730-01-014-1078	Clamp, Hose	Material: Steel comp 201 overall Style Designator: Adjustable band Surface Treatment: Any acceptable overall	70847 Quote
J205	4730-01-007-9254	Clamp, Hose	Material: Steel comp 201 overall Style Designator: C13 adjustable band Overall Width: 0.620 inches nominal	70847
J206	4730-01-236-8013	Clamp, Hose	Material: Steel comp 201 overall Style Designator: C13 adjustable band Overall Width: 0.625 inches nominal	70847 Quote
J207	4730-01-302-7306	Clamp, Hose		70847
J208	4730-00-203-9766	Clamp, Hose	Material: Steel overall Style Designator: C13 adjustable band Surface Treatment: Zinc overall	70847 Quote
J209	4730-00-876-8903	Clamp, Hose	Material: Steel corrosion resisting overall Style Designator: Adjustable band Inside Diameter: 2.500 inches nominal	70847
J210	4730-01-328-7018	Clamp, Hose		70847
J211	4730-00-077-1040	Clamp, Hose	Material: Steel corrosion resisting overall Style Designator: C13 adjustable band Surface Treatment: Any acceptable overall	70847
J211	4730-01-457-2230	Clamp, Hose	Material: Steel comp 201 overall Style Designator: C13 adjustable band Special Features: For 2" hose	70847 Quote
J213	4730-01-244-7275	Clamp, Hose	Material: Steel comp 201 overall Style Designator: C13 adjustable band Overall Width: 0.750 inches nominal	70847
J21399	4730-01-244-7275	Clamp, Hose	Material: Steel comp 201 overall Style Designator: C13 adjustable band Overall Width: 0.750 inches nominal	70847 Quote
J214	4730-01-023-3987	Clamp, Hose	Material: Steel corrosion resisting overall Style Designator: C13 adjustable band Inside Diameter: 4.500 inches nominal	70847

FSC 4730 Hose, Pipe, Tube, Lubrication, and Railing Fittings

MFG SKU	NSN	Item Name	Details	CAGE Code	RFQ
J215	4730-00-078-2519	Clamp, Hose	Material: Steel comp 201 overall Style Designator: C13 adjustable band Surface Treatment: Passivate overall	70847	
J227	4730-01-261-2524	Clamp, Hose	Material: Steel comp 201 overall Style Designator: C13 adjustable band Overall Width: 0.750 inches nominal	70847	Quote
J227	4730-01-497-7093	Clamp, Hose		70847	
J230	4730-01-387-1304	Clamp, Hose		70847	Quote
J236	4730-01-418-7086	Clamp, Hose	Material: Steel comp 201 overall Style Designator: C13 adjustable band III End Item Identification: 3835-01-288-4604	70847	
J241	4730-01-540-3228	Clamp, Hose	Material: Steel comp 201 band Style Designator: C13 adjustable band Special Features: Weight in kilograms 1.1	70847	Quote

J242	4730-00-015-1418	Clamp, Hose	Inside Diameter: 1.000 inches nominal Overall Width: 0.250 inches nominal Fastening Device Type: Spring tension	70847
J245	4730-01-093-5528	Clamp, Hose	Material: Steel comp 201 overall Style Designator: C13 adjustable band Surface Treatment: Passivate overall	70847
J246	4730-01-196-8798	Clamp, Hose	Material: Steel comp 201 overall Style Designator: C13 adjustable band Overall Width: 0.375 inches nominal	70847
J252	4730-00-996-8258	Clamp, Hose		70847
J253	4730-00-450-5498	Clamp, Hose		70847
J256	4730-01-342-3772	Clamp, Hose	Material: Steel comp 201 overall Style Designator: C13 adjustable band Overall Width: 0.250 inches nominal	70847
J257	4730-01-082-4886	Clamp, Hose	Material: Steel comp 201 overall Style Designator: C13 adjustable band Material Document and Classification: 66 fed std single material response overall	70847
J301	4730-00-278-2507	Clamp, Hose	Material: Steel band Style Designator: C13 adjustable band Surface Treatment: Zinc overall	70847
J302	4730-01-119-5227	Clamp, Hose	Material: Steel overall Style Designator: C13 adjustable band Surface Treatment: Zinc overall	70847
J303	4730-01-109-1668	Clamp, Hose	Material: Steel overall Style Designator: C13 adjustable band Surface Treatment: Zinc overall	70847
J304	4730-01-014-1078	Clamp, Hose	Material: Steel comp 201 overall Style Designator: Adjustable band Surface Treatment: Any acceptable overall	70847
J306	4730-00-945-1998	Clamp, Hose	Material: Steel corrosion resisting overall Style Designator: C13 adjustable band Inside Diameter: 1.750 inches nominal	70847
J307	4730-01-392-8605	Clamp, Hose	Material: Steel overall Style Designator: C13 adjustable band Surface Treatment: Zinc overall	70847
J308	4730-00-203-9766	Clamp, Hose	Material: Steel overall Style Designator: C13 adjustable band Surface Treatment: Zinc overall	70847
J401	4730-00-945-1989	Clamp, Hose	Material: Steel comp 316 overall Style Designator: C13 adjustable band Overall Width: 0.375 inches nominal	70847

FSC 4730 Hose, Pipe, Tube, Lubrication, and Railing Fittings

MFG SKU	NSN	Item Name	Details	CAGE Code	RFQ
J404	4730-01-014-1078	Clamp, Hose	Material: Steel comp 201 overall Style Designator: Adjustable band Surface Treatment: Any acceptable overall	70847	
J405	4730-00-945-1997	Clamp, Hose	Material: Steel corrosion resisting overall Style Designator: C13 adjustable band Inside Diameter: 1.500 inches nominal	70847	
J405	4730-01-007-9254	Clamp, Hose	Material: Steel comp 201 overall Style Designator: C13 adjustable band Overall Width: 0.620 inches nominal	70847	

J406	4730-00-945-1998	Clamp, Hose	Material: Steel corrosion resisting overall Style Designator: C13 adjustable band Inside Diameter: 1.750 inches nominal	70847	Quote
J40999	4730-00-876-8903	Clamp, Hose	Material: Steel corrosion resisting overall Style Designator: Adjustable band Inside Diameter: 2.500 inches nominal	70847	
J413	4730-01-567-5576	Clamp, Hose	Material: Steel corrosion resisting overall Special Features: Inside dia 4.000 in; width 0.750 in; thk 0.030 in; 25 per box Fastening Device Type: Buckle	70847	Quote
J440	4730-01-416-5658	Clamp, Hose	Special Features: Underwater life support iaw navsea instruction 10560.2B III End Item Identification: Mk 3 mod 0 light weight dive sys Criticality Code Justification: FEAT	70847	
JS214	4730-01-497-7093	Clamp, Hose		70847	Quote
JS413	4730-01-540-3227	Clamp, Hose	Material: Steel comp 201 band Style Designator: C13 adjustable band Special Features: Weight in kilograms 2.8	70847	
L-207 L207	4730-01-448-3494	Clamp, Hose	Material: Steel corrosion resisting overall Special Features: 19 in. log. band thickness 0.020 in.	70847	Quote
THICK STAINSTEE THICKSTAINSTEE	4730-01-014-1078	Clamp, Hose	Overall Width: 0.250 inches nominal Material: Steel comp 201 overall Style Designator: Adjustable band Surface Treatment: Any acceptable overall	70847	
V024	4730-01-376-7976	Clamp, Hose	Material: Steel overall Style Designator: C21 band Overall Width: 0.562 inches nominal	70847	Quote
V056	4730-01-258-0732	Clamp, Hose	Material: Steel corrosion resisting overall Style Designator: C21 band Overall Width: 0.562 inches nominal	70847	
V203	4730-01-204-0584	Clamp, Hose	Material: Steel corrosion resisting overall Style Designator: C21 band Overall Width: 0.280 inches nominal	70847	Quote
X44701	4730-01-416-5658	Clamp, Hose	Special Features: Underwater life support iaw navsea instruction 10560.2B III End Item Identification: Mk 3 mod 0 light weight dive sys Criticality Code Justification: FEAT	70847	
X768-99 X76899	4730-01-388-0676	Clamp, Hose	Material: Steel comp 201 overall Style Designator: C13 adjustable band Overall Width: 0.750 inches nominal	70847	Quote
F108	4730-01-384-9846	Mender, Hose	Overall Length: 0.950 inches nominal Material: Steel Hose Inside Diameter for Which Designed: 0.375 inches nominal	70847	
F110	4730-01-249-0168	Mender, Hose	Overall Length: 2.320 inches nominal Material: Steel Surface Treatment: Cadmium	70847	Quote
E-004 E004	4730-01-283-8168	Nipple, Pipe		70847	

FSC 5310 Nuts and Washers

MFG SKU	NSN	Item Name	Details	CAGE Code	RFQ
C040	5310-00-151-8898	Nut, Plain, Hexagon	Material: Steel overall	70847	

C043	5310-00-151-8898	Nut, Plain, Hexagon	Hardness Rating: Not rated Thread Direction: Right-hand Material: Steel overall Hardness Rating: Not rated Thread Direction: Right-hand	70847	Quote
----------------------	----------------------------------	---------------------	---	-------	-----------------------

FSC 5340 Hardware, Commercial

MFG SKU	NSN	Item Name	Details	CAGE Code	RFQ
404	5340-01-336-7035	Band, Retaining	Length: 84.000 inches nominal Material: Steel, corrosion resisting	70847	
C20599	5340-01-576-6185	Band, Retaining	Special Features: Average breaking strength in lbs: 1875.0 III End Item Identification: Nuc equipment Length: 1200.000 inches nominal	70847	Quote
A52487	5340-01-521-0634	Bracket, Mounting	III End Item Identification: Tie-dex calibration device A500 III Part Name Assigned By Controlling Agency: Tie-dex ii mounting block	70847	
A52687	5340-01-521-0631	Bracket, Mounting	III End Item Identification: Tie-dex calibration device A500 III Part Name Assigned By Controlling Agency: Micro tie-dex mounting block	70847	Quote
A53087	5340-01-521-0635	Bracket, Mounting	III End Item Identification: Tie-dex calibration device A500 III Part Name Assigned By Controlling Agency: Tie-dex I mounting bracket	70847	
D310	5340-01-061-2626	Bracket, Mounting	Special Features: Stainless STEEL;1.625 in. nom lg, 1.125 in. nom WD;0.062 in. THK;0.750 in. flared legs W/0.562 in. slots in ea leg for 0.375 in. or 0.500 in. wide BAND;5/16-24 in. tapped thd ctr HOLE;0.500 in. stainless steel BOLT;0.750 in. phenolic washer;packed 50 per box	70847	Quote
13855	5340-01-222-9326	Buckle		70847	
C453	5340-00-088-1578	Buckle	Material and Location: Steel, corrosion resisting overall Specific Usage Design: Strapping	70847	Quote
C855	5340-01-222-9326	Buckle		70847	
FE581	5340-01-418-3715	Buckle	Special Features: The item is made per ASTM-B443 uns no 6625 nickel-chromiun molybdenum aly Overall Width: 0.8000 inches nominal Overall Length: 0.8750 inches nominal	70847	Quote
A10088	5340-01-343-2095	Clamp, Loop	Material: Aluminum overall Overall Width: 4.0000 inches nominal Loop Inside Diameter: 3.0000 inches nominal	70847	
A10099	5340-01-343-2095	Clamp, Loop	Material: Aluminum overall Overall Width: 4.0000 inches nominal Loop Inside Diameter: 3.0000 inches nominal	70847	Quote
AE3128	5340-01-563-6957	Clamp, Loop	Material: Steel corrosion resisting overall Special Features: Nylon coated; 0.026 in. thickness; 100 per bag Overall Width: 0.375 inches nominal	70847	
AE3138	5340-01-563-6959	Clamp, Loop	Material: Steel corrosion resisting overall Special Features: Nylon coated; 0.026 in. thickness; 100 per bag Overall Width: 0.375 inches nominal	70847	Quote
AE3158	5340-01-563-6960	Clamp, Loop	Material: Steel corrosion resisting overall	70847	

UL210	5340-01-539-5540	Clamp, Loop	Special Features: Nylon coated; 0.026 in. thickness; 100 per bag Overall Width: 0.375 inches nominal Material: Steel corrosion resisting overall Special Features: Band width, 1 1/2 in steel band, 2 3/4 in Fastening Device Type: Buckle 3BBM2	Quote
UL279	5340-01-539-5541	Clamp, Loop	Material: Steel corrosion resisting overall Special Features: Band width, 1/2 in, 1 1/2 in steel band 3BBM2	
C604	5340-00-497-5400	Loop, Strap Fastener	Fastening Device Type: Buckle Style Designator: D2 rectangle Special Features: 1/2, split, scru-lokt;one threaded-hole 0.266 in. dia.on one side;one un-threaded hole 0.359 in. dia. on split-side Overall Length: 0.703 inches nominal 70847	Quote
A52587	5340-01-521-0633	Plate, Mounting	End Item Identification: Tie-dex calibration device A500 70847	
A52787	5340-01-521-0632	Plate, Mounting	Part Name Assigned By Controlling Agency: Tie-dex ii mounting plate End Item Identification: Tie-dex calibration device A500 70847	Quote
			Part Name Assigned By Controlling Agency: Tie-dex ii mounting bracket	

FSC 5340 Hardware, Commercial

MFG SKU	NSN	Item Name	Details	CAGE Code	RFQ
	2106 5340-00-244-7327	Seal, Strapping	End Item Identification: W/s: spruance class dd (963); helicopter, carrier based asw, SH-60F; helicopter, advance attack, AH-1W; helicopter, uscg search and rescue, HH-60J; deep submergence systems programs (dssp); helicopter, MH-53E; surface minesweeping systems; helicopter, search and rescue, HH-60H; ticonderoga class cg (47); aviation engine test systems (aets)	70847	
316-5-8	5340-00-244-7326	Seal, Strapping	Width: 0.750 inches nominal Material: Steel, corrosion resisting Width: 0.625 inches nominal Design Type: OPEN Strapping Type for Which Designed: Steel	70847	Quote
BANDITBUCKLES	5340-00-244-7327	Seal, Strapping	End Item Identification: W/s: spruance class dd (963); helicopter, carrier based asw, SH-60F; helicopter, advance attack, AH-1W; helicopter, uscg search and rescue, HH-60J; deep submergence systems programs (dssp); helicopter, MH-53E; surface minesweeping systems; helicopter, search and rescue, HH-60H; ticonderoga class cg (47); aviation engine test systems (aets)	70847	
C-154 C154	5340-00-244-7325	Seal, Strapping	Width: 0.750 inches nominal Material: Steel, corrosion resisting Width: 0.500 inches nominal Material: Steel, corrosion resisting Design Type: OPEN	70847	Quote
C153	5340-01-448-6415	Seal, Strapping	Width: 0.375 inches nominal	70847	
C15399	5340-01-448-6415	Seal, Strapping	Width: 0.375 inches nominal	70847	Quote

C15499	5340-00-244-7325	Seal, Strapping	Width: 0.500 inches nominal Material: Steel, corrosion resisting Design Type: OPEN	70847
C253	5340-00-244-7324	Seal, Strapping	Length: Any acceptable Width: 0.375 inches nominal Material: Steel, corrosion resisting	70847
C25399	5340-00-244-7324	Seal, Strapping	Length: Any acceptable Width: 0.375 inches nominal Material: Steel, corrosion resisting	70847
C254	5340-00-060-2509	Seal, Strapping	Special Features: Stainless steel for 1/2 inch band	70847
C254-D900	5340-00-060-2509	Seal, Strapping	Special Features: Stainless steel for 1/2 inch band	70847
C254D900				
C255	5340-00-445-3326	Seal, Strapping	Length: 1.000 inches nominal Width: 0.875 inches nominal Material: Steel, corrosion resisting	70847
C256	5340-00-244-7327	Seal, Strapping	End Item Identification: W/s: spruance class dd (963); helicopter, carrier based asw, SH-60F; helicopter, advance attack, AH-1W; helicopter, uscg search and rescue, HH-60J; deep submergence systems programs (dssp); helicopter, MH-53E; surface minesweeping systems; helicopter, search and rescue, HH-60H; ticonderoga class cg (47); aviation engine test systems (aets)	70847
			Width: 0.750 inches nominal Material: Steel, corrosion resisting	
C454	5340-00-105-0930	Seal, Strapping	Length: Any acceptable Width: 0.500 inches nominal Material: Steel, corrosion resisting	70847
C455	5340-00-244-7326	Seal, Strapping	Width: 0.625 inches nominal Design Type: OPEN Strapping Type for Which Designed: Steel	70847
C456	5340-01-249-6793	Seal, Strapping		70847
UL2092	5340-01-563-5672	Seal, Strapping	III End Item Identification: 4930-01-545-6669 fuel system, supply point Width: 0.750 inches nominal	70847
L-290	5340-01-385-0190	Strap, line Supporting		70847
L290				
L204/316	5340-01-245-7495	Strap, line Supporting	Buckle Material: Steel, QQ-S-766, class 316 Strap Material: Steel, QQ-S-766, class 316 Antiabrasion pad: Not included	70847
L204316				
AE6159	5340-01-577-2211	Strap, Retaining	Special Features: Material: 0.11 inch thick by 0.275 inch wide stainless steel coated with nylon 1;ALL dimensions include coating;length is 23.8 inches plus 1.00 minus 0.25 inches;weight .022 pounds III Part Name Assigned By Controlling Agency: 7MM multi-lok tie nylon coated, 100/BAG	70847

FSC 5340 Hardware, Commercial

MFG SKU	NSN	Item Name	Details	CAGE Code	RFQ
TBD	5340-01-447-5092	Strap, Retaining	Overall Width: 0.3700 inches minimum and 0.3800 inches maximum Material Thickness: 0.0280 inches minimum and 0.0320 inches maximum Material: Nickel copper alloy	70847	
X08005AM	5340-01-439-5603	Strap, Retaining		70847	

C133	5340-01-541-3103	Strapping	Length: 30.5 meters nominal III Part Name Assigned By Controlling Agency: Band and buckle system Width: 9.530 millimeters nominal	70847	
C202	5340-00-497-5401	Strapping		70847	
C203	5340-00-469-3537	Strapping	Width: 0.375 inches nominal Material: Steel, corrosion resisting Thickness: 0.025 inches nominal	70847	
C204	5340-00-245-9438	Strapping	Length: 100.000 feet nominal Width: 0.500 inches nominal Material: Steel, corrosion resisting	70847	
C206	5340-00-245-9440	Strapping	Width: 0.750 inches nominal Thickness: 0.032 inches nominal Length: 100.000 feet nominal	70847	
C406	5340-01-249-6794	Strapping		70847	
C-203MODIFIED	5340-01-098-1741	Strapping, Flat	Criticality Code Justification: ZZZY Reference Number Differentiating Characteristics: Material will be in accordance with navicp mech; activity hx quality control, manufacturing and testing specifications.	70847	
C203MODIFIED					

FSC 5342 Hardware, Weapon System

MFG SKU	NSN	Item Name	Details	CAGE Code	RFQ
J240	5342-00-241-6983	Clamp		70847	
C720	5342-01-081-9052	Clamp Buckle	General Characteristics Item Description: Stainless steel, 0.250 width, use with bands of 0.250 in. wide	70847	
C724	5342-00-300-2003	Clamp, Band	General Characteristics Item Description: Cres QQ-S-763 class 302 condition a, 0.550 in. lg, 0.510 in. min 0.550 in. max inside W, 0.150 in. min 0.180 in. max inside H W/0.312-18 countersunk head setscrew	70847	
D05199	5342-01-579-1802	Patch, Mechanical, Rigid Surface	Special Features: Curved form; 0.9 lbs; -50 to 225 F operating temp; not recommended for toxic and caustic gas and liquid lines III Part Name Assigned By Controlling Agency: Metal backed pipe patch lined with sbr Features Provided: Cushion	70847	
D05499	5342-01-579-1815	Patch, Mechanical, Rigid Surface	Special Features: Curved from; -50 to 225 F operating temp; not recommended for toxic and caustic gas and liquid lines; 2.5 lbs in weight; Qty of 10/BOX III Part Name Assigned By Controlling Agency: Metal backed pipe patch lined with sbr Features Provided: Cushion	70847	
D05699	5342-01-578-1307	Patch, Mechanical, Rigid Surface	Special Features: 3.500 X 8.000 inches III Part Name Assigned By Controlling Agency: Pipe patch	70847	
D05799	5342-01-578-1316	Patch, Mechanical, Rigid Surface	Special Features: 3.500 X 10.000 inches III Part Name Assigned By Controlling Agency: Pipe patch	70847	
M211	5342-00-241-9278	Seal, Clamp Roll Band	General Characteristics Item Description: CRES	70847	
C402	5342-01-272-0629	Strap, Special		70847	

FSC 5935 Connectors, Electrical

MFG SKU	NSN	Item Name	Details	CAGE Code	RFQ
---------	-----	-----------	---------	-----------	-----

[C20489](#)[5935-01-587-5110](#)Connector, Receptacle,
Electrical

Special Features: Change fsc inc fig; JUR;J6R; 08-19-2010.
Criticality Code Justification: ZZZY
Reference Number Differentiating
Characteristics: Material will be in accordance with
navicp mech; activity hx quality control, manufacturing
and testing specifications.

70847

FSC 5975 Electrical Hardware and Supplies

MFG SKU	NSN	Item Name	Details	CAGE Code	RFQ
A10089	5975-01-379-7230	Strap, Tiedown, Electrical Compone	Length: 14.256 inches nominal III End Item Identification: 1520-01-298-4532. End Type: W/attachment	70847	

FSC 5975 Electrical Hardware and Supplies

MFG SKU	NSN	Item Name	Details	CAGE Code	RFQ
AE 713 AE713	5975-01-439-7132	Strap, Tiedown, Electrical Compone	Material: Steel, corrosion resisting End Type: W/attachment Length: 12.000 inches nominal	70847	
AE 714 AE714	5975-01-439-7131	Strap, Tiedown, Electrical Compone	Material: Steel, corrosion resisting End Type: W/attachment Length: 18.000 inches nominal	70847	Quote
AE 715 AE715	5975-01-439-7133	Strap, Tiedown, Electrical Compone	Material: Steel, corrosion resisting End Type: W/attachment Length: 24.000 inches nominal	70847	
AS213	5975-01-505-2773	Strap, Tiedown, Electrical Compone	Material: Steel, aisi 304 End Type: W/attachment Length: 22.500 inches nominal	70847	Quote
K01399	5975-01-565-9712	Strap, Tiedown, Electrical Compone		70847	
K01499	5975-01-565-9704	Strap, Tiedown, Electrical Compone		70847	Quote

FSC 3010 Torque Converters and Speed Changers

MFG SKU	NSN	Item Name	Details	CAGE Code	RFQ
830045-1 8300451	3010-01-390-1081	Thrust Plate, Transmission Gear		70847	
GC-810001 GC810001	3010-01-390-1081	Thrust Plate, Transmission Gear		70847	Quote
GC-810001 ITEM 6 GC810001ITEM6	3010-01-390-1081	Thrust Plate, Transmission Gear		70847	

FSC 3540 Wrapping and Packaging Machinery

MFG SKU	NSN	Item Name	Details	CAGE Code	RFQ
C926R	3540-01-521-0258	Reel, Strapping Coil	Special Features: Red plastic dispenser complete with 304 stainless steel band strapping; thickness 0.028 inch; 100 ft strapping per roll Overall Width: 0.750 inches nominal	70847	

C001	5120-00-278-9925	Clamping Tool, Strap Band, Hose	General Characteristics Item Description: Drop forged carbon or alloy steel construction; for 3/8 to 3/4 in. width steel strapping (0.025 to 0.030 in. thickness); 12 in. max O/A lg	70847	
C001	3540-01-101-1625	Sealer, Steel Strapping, hand	Reference Number Differentiating Characteristics: Material will be in accordance with navicp mech; activity hx quality control, manufacturing and testing specifications. Criticality Code Justification: ZZZY	70847	

FSC 4320 Power and Hand Pumps

MFG SKU	NSN	Item Name	Details	CAGE Code	RFQ
C252	4320-01-129-7546	Ring, Wearing		70847	

FSC 4920 Aircraft Maintenance and Repair Shop Specialized Equipment

MFG SKU	NSN	Item Name	Details	CAGE Code	RFQ
J050	4920-00-007-9778	Adapter, Banding		70847	
S750	4920-01-494-3737	Banding Tool, Pneumatic, Aircraft	Special Features: (Inavy)banding tool, pneumatic, aircraft material;for high volume production clamping of all widths & sizes & preformed clamps;automatically tensions & cuts off clamp tail after locking.operated on 80-120 psi air line pressure.the complete assembly consist of P/N S350 & S260 End Item Identification: Hmsv maint;facility equip for power plant dvn-lpd Criticality Code Justification: AGAV	70847	
A50099	4920-01-561-2054	Calibrator, Baroswitch Test set	Special Features: Range 60 to 170 pounds DIMENSIONS6.65 inches long by 2.47 inches wide by 2.83 inches high weight 2.10 pounds Part Name Assigned BY Controlling Agency: Calibration device	70847	
A94079	4920-01-597-4058	Clamp, Spec		70847	

FSC 5120 Hand Tools, Nonedged, Nonpowered

MFG SKU	NSN	Item Name	Details	CAGE Code	RFQ
J102	5120-00-497-5541	Clamping Tool, hand		70847	
C001	5120-00-278-9925	Clamping Tool, Strap Band, Hose	General Characteristics Item Description: Drop forged carbon or alloy steel construction; for 3/8 to 3/4 in. width steel strapping (0.025 to 0.030 in. thickness); 12 in. max O/A lg	70847	
C001	3540-01-101-1625	Sealer, Steel Strapping, hand	Reference Number Differentiating Characteristics: Material will be in accordance with navicp mech; activity hx quality control, manufacturing and testing specifications. Criticality Code Justification: ZZZY	70847	
C075	5120-01-533-4620	Clamping Tool, Strap Band, Hose	Material: ZINC Special Features: Ratchet action tool with built-in cutter; tension release lever allows band to repositioned; 3-WAY handle adjusts for 1 or 2 handed tensioning Part Name Assigned BY Controlling Agency: Bantam tool	3BBM2	

J076	5120-01-446-6944	Clamping Tool, Strap Band, Hose	Special Features: Used with 1/2 in. wrench to secure band-it clamps to rubber or plastic boots; W/vinyl grip	70847
M503	5120-01-496-4427	Clamping Tool, Strap Band, Hose	Special Features: For self-locking multi-lok ties as well as other self-locking ties End Item Identification: Sea king MK7 Part Name Assigned BY Controlling Agency: Multi-lok tool	70847
S38	5120-00-359-6587	Clamping Tool, Strap Band, Hose	General Characteristics Item Description: Size of strap for which designed, 3/8 in. to 5/8 in. W range, 0.020 in. to 0.30 in. thk range; special features, furnished with ratchet tension wrench	70847
J020	5120-01-127-0756	Clamping Tool, Wire Band, Hose	General Characteristics Item Description: Assembling 1/4 in.and 3/8 in. wide FF9217 preformed band clamp, utilizes manual ratchet type, equipped with built-in cutter	70847
J02069	5120-01-127-0756	Clamping Tool, Wire Band, Hose	General Characteristics Item Description: Assembling 1/4 in.and 3/8 in. wide FF9217 preformed band clamp, utilizes manual ratchet type, equipped with built-in cutter	70847
J075	5120-01-559-7380	Clamping Tool, Wire Band, Hose	Special Features: 10 pack thriftool; applies tension, 3/16" - 3/8" wide band, band fast, band it junior clamps End Item Identification: For use by government of denmark	70847
F001	5120-00-264-6337	Holder, Close Nipple		70847

FSC 5120 Hand Tools, Nonedged, Nonpowered

MFG SKU	NSN	Item Name	Details	CAGE Code	RFQ
600-058	5120-01-357-6878	Installation Tool, cable Tie	Functional Description: Used to secure tie-dex bands around electrical cable to provide a permanent shield termination	70847	
600-061	5120-01-561-2052	Installation Tool, cable Tie	Special Features: Used to secure tie-dex bands aro und electrical cable to provide a permanent shield termination	70847	
A31189	5120-01-590-9434	Installation Tool, cable Tie	Overall Length: 8.095 inches minimum and 8.155 inches maximum Material: Steel corrosion resisting Special Features: Use with glenair 600-061 hand tool (5120-01-561-2052)	70847	
A40199	5120-01-357-6878	Installation Tool, cable Tie	Functional Description: Used to secure tie-dex bands around electrical cable to provide a permanent shield termination	70847	
TIE-DEX II	5120-01-357-6878	Installation Tool, cable Tie	Functional Description: Used to secure tie-dex bands around electrical cable to provide a permanent shield termination	70847	
TIEDEXII					
A50887	5120-01-560-7419	Retainer, Shoe Plate	Special Features: Component replacement part for A40199 hand tool. material aisi 4010 hardend to rc 35-45. finished in black oxide with rust preventative oil. attaches to the bottom of the hand tool as support for the blade. heat treated and plated End Item Identification: Tie-dex A40199 hand tool	70847	

FSC 5140 Tool and Hardware Boxes

MFG SKU	NSN	Item Name	Details	CAGE Code	RFQ
C274	5140-00-232-6330	Tool box, Portable	Overall Width: 8.500 inches nominal Overall Height: 9.750 inches nominal	70847	

Overall Length: 16.000 inches nominal

FSC 5180 Sets, Kits, and Outfits of Hand Tools

MFG SKU	NSN	Item Name	Details	CAGE Code	RFQ
A59099	5180-01-552-0481	Tool kit, Electronic System	Special Features: Kit includes: 1-A40199, 1-A48599, 1-A44699, parts and cutters	70847	

FSC 5340 Hardware, Commercial

MFG SKU	NSN	Item Name	Details	CAGE Code	RFQ
C25499	5340-00-244-7325	Seal, Strapping	Width: 0.500 inches nominal Material: Steel, corrosion resisting Design Type: OPEN	70847	

FSC 5975 Electrical Hardware and Supplies

MFG SKU	NSN	Item Name	Details	CAGE Code	RFQ
AU2029	5975-01-597-4195	Strap, Tiedown, Electrical Compone		70847	

FSC 6240 Electric Lamps

MFG SKU	NSN	Item Name	Details	CAGE Code	RFQ
J445	6240-01-138-0112	Clamp Assembly, Preformed		70847	

FSC 6625 Electrical and Electronic Properties Measuring and Testing Instruments

MFG SKU	NSN	Item Name	Details	CAGE Code	RFQ
A50099	6625-01-521-6479	Device, Calibration	End Item Identification: Calibration kit	70847	
A50189	6625-01-521-6479	Device, Calibration	End Item Identification: Calibration kit	70847	
A44699	6625-01-521-6480	Key, Calibration	End Item Identification: Banding tool	70847	
A50599	6625-01-521-6477	Test Band, Calibrati	End Item Identification: Calibration kit General Characteristics Item Description: 50 standard test bands	70847	
A50699	6625-01-521-6478	Test Bank, Calibrati	End Item Identification: Calibration kit General Characteristics Item Description: 50 micro test bands per pack Part Name Assigned BY Controlling Agency: Micro test bands	70847	

FSC 8135 Packaging and Packing Bulk Materials

MFG SKU	NSN	Item Name	Details	CAGE Code	RFQ
C15599	8135-01-570-4318	Seal, Strapping	Material: Steel, corrosion resisting Width: 0.625 inches nominal Design Type: Clamp	70847	
3-4IN 34IN	8135-00-691-3303	Strap, Banding		70847	
	13805 8135-01-222-9325	Strapping		70847	
C205	8135-00-245-9439	Strapping	Width: 0.625 inches nominal Thickness: 0.030 inches nominal Length: 100.000 feet nominal	70847	

FSC 8135 Packaging and Packing Bulk Materials

MFG SKU	NSN	Item Name	Details	CAGE Code	RFQ
C403	8135-00-088-1528	Strapping	Material: Steel, corrosion resisting Width: 0.375 inches nominal Length: 100.000 preset inches	70847	
C805	8135-01-222-9325	Strapping		70847	
C-155	8135-01-283-2494	Wing, Seal	General Characteristics Item Description: 5/8 stainless steel, closed clip U sed W/banding to hold strap down	70847	
C155					

FSC 4730 Hose, Pipe, Tube, Lubrication, and Railing Fittings

MFG SKU	NSN	Item Name	Details	CAGE Code	RFQ
JS2119	4730-01-617-5895	Clamp, Hose	Material: Steel overall Style Designator: Adjustable band Inside Diameter: 3.0 inches nominal	70847	
JS4019	4730-01-618-6058	Clamp, Hose	Material: Steel comp 316 overall Style Designator: Adjustable band Inside Diameter: 0.813 inches nominal	70847	
JS4099	4730-00-876-8903	Clamp, Hose	Material: Steel corrosion resisting overall Style Designator: Adjustable band Inside Diameter: 2.500 inches nominal	70847	
H62088	4730-01-617-5877	Nipple, Hose	Connection Type: Threaded external pipe 2ND end Connection Type: Unthreaded external hose 1ST end	70847	
			Connection Style: Insert (hose) 1ST end		

FSC 5342 Hardware, Weapon System

MFG SKU	NSN	Item Name	Details	CAGE Code	RFQ
J24099	5342-00-241-6983	Clamp		70847	
C40299	5342-01-272-0629	Strap, Special		70847	

FSC 5975 Electrical Hardware and Supplies

MFG SKU	NSN	Item Name	Details	CAGE Code	RFQ
AE7159	5975-01-608-5186	Strap, Tiedown, Electrical Compone	END Item Identification: 5410-01-592-9463 Part Name Assigned BY Controlling Agency: Strap metal END Type: W/attachment	70847	

FSC 5999 Miscellaneous Electrical and Electronic Components

MFG SKU	NSN	Item Name	Details	CAGE Code	RFQ
A31099	5999-01-606-4677	Clamp, Electrical	END Item Identification: B-2 bomber Part Name Assigned BY Controlling Agency: Tieband, shield termination band	70847	
A31199	5999-01-606-4860	Clamp, Electrical	END Item Identification: B-2 bomber Part Name Assigned BY Controlling Agency: Tieband, shield termination band	70847	

FSC 8135 Packaging and Packing Bulk Materials

MFG SKU	NSN	Item Name	Details	CAGE Code	RFQ
---------	-----	-----------	---------	-----------	-----

[C20499](#)[8135-01-616-9047](#)

Strapping

70847

FSC 4730 Hose, Pipe, Tube, Lubrication, and Railing Fittings

MFG SKU	NSN	Item Name	Details	CAGE Code	RFQ
J52109	4730-01-328-7018	Clamp, Hose		70847	
V00899	4730-01-655-3776	Clamp, Hose	Inside Diameter: 0.43 inches minimum and 1.00 inches maximum Overall Width: 0.562 inches nominal Fastening Device Type: Slotted hexagon head screw	70847	Quote
V01099	4730-01-654-8900	Clamp, Hose	Inside Diameter: 0.50 inches minimum and 1.12 inches maximum Overall Width: 0.562 inches nominal Material Thickness: 0.23 inches nominal	70847	
V01299	4730-01-655-3457	Clamp, Hose		70847	Quote
V01699	4730-01-655-4342	Clamp, Hose	Inside Diameter: 0.75 inches minimum and 1.50 inches maximum Overall Width: 0.562 inches nominal Fastening Device Type: Slotted hexagon head screw	70847	

FSC 5110 Hand Tools, Edged, Nonpowered

MFG SKU	NSN	Item Name	Details	CAGE Code	RFQ
K93987	5110-01-648-7194	Blade, Knife	Unable to Decode: Unable to decode Unable to Decode: Unable to decode	3BBM2	

FSC 5120 Hand Tools, Nonedged, Nonpowered

MFG SKU	NSN	Item Name	Details	CAGE Code	RFQ
C07569	5120-01-631-2062	Clamping Tool, Strap Band, Hose	III Part Name Assigned BY Controlling Agency: Bantam tool	3BBM2	
A30199	5120-01-561-2052	Installation Tool, Cable Tie	Special Features: Used to secure tie-dex bands aro und electrical cable to provide a permanent shield termination	3BBM2	Quote
A92079	5120-01-631-2065	Installation Tool, Cable Tie	Features Provided: Coil spring III Part Name Assigned BY Controlling Agency: Installation tool Special Features: Knob adjustment, lever, pull-up, front load, cap, block, indicator, decal, plunger tension, adhesive, cyanoacrylate grease, body-black	3BBM2	
K50289	5120-01-648-7192	Installation Tool, Cable Tie	Blade Type: Straight Features Provided: Grip handle III Part Name Assigned BY Controlling Agency: Ball-lok tool	3BBM2	Quote

FSC 5130 Hand Tools, Power Driven

MFG SKU	NSN	Item Name	Details	CAGE Code	RFQ
K94087	5130-01-648-7190	Blade, Hydraulic Cutter	III Unpackaged Unit Weight: 1.0 pounds III Part Name Assigned BY Controlling Agency: Ball-lok tool Special Features: Adjustable tension, side loading, automatic cutoff	3BBM2	

FSC 5340 Hardware, Commercial

MFG SKU	NSN	Item Name	Details	CAGE Code	RFQ
CE5039UK	5340-01-625-9151	Band, Retaining	III Part Name Assigned BY Controlling Agency: Hardware, commercial Special Features: Banding 10MM Material: Copper alloy 511	70847	
CE5059UK	5340-01-625-9153	Band, Retaining	III Part Name Assigned BY Controlling Agency: Banding 16MM Special Features: Band lenght 100 feet Material: Copper alloy 511	70847	Quote
CE5539UK	5340-01-625-9150	Buckle	III Part Name Assigned BY Controlling Agency: Banding buckle 10MM, phosphor bronze Special Features: Box of 100	70847	
CE5559UK	5340-01-625-9148	Buckle	Overall Length: 0.148 inches nominal Overall Width: 0.930 inches nominal Special Features: Banding buckle 16MM phosphor bronze box quantity of 100	70847	Quote
C45399	5340-01-647-8907	Clamp, Loop	III End Item Identification: FC-160 III Part Name Assigned BY Controlling Agency: Ear-lokt buckle	3BBM2	
AE4369	5340-01-631-4869	Plate, Mounting	Width: 0.75 inches nominal Thickness: 0.048 inches nominal Part Name Assigned BY Controlling Agency: 316 stainless steel coated band	70847	Quote
AE4559	5340-00-664-3249	Seal, Strapping	Width: 0.813 inches nominal Length: 0.750 inches nominal Design Type: Closed	3BBM2	
C25499-D900 C25499D900	5340-00-060-2509	Seal, Strapping	Special Features: Stainless steel for 1/2 inch band	70847	Quote
X12101	5340-01-439-5603	Strap, Retaining		70847	

FSC 5340 Hardware, Commercial

MFG SKU	NSN	Item Name	Details	CAGE Code	RFQ
X23801	5340-01-648-6253	Strap, Retaining		70847	
C40399	5340-01-647-3455	Strapping	Width: 0.375 inches nominal Design Type: Nailless Material: Steel corrosion resisting	3BBM2	Quote

FSC 5975 Electrical Hardware and Supplies

MFG SKU	NSN	Item Name	Details	CAGE Code	RFQ
A11089	5975-01-624-3672	Strap, Tiedown, Electrical Compone	Width: 0.240 inches nominal Length: 14.3 inches nominal End Type: Plain	70847	
A31089	5975-01-624-3671	Strap, Tiedown, Electrical Compone	Width: 0.120 inches nominal Length: 8.1 inches nominal End Type: Plain	70847	Quote
AA1128	5975-01-629-1091	Strap, Tiedown, Electrical Compone	Width: 0.25 inches nominal Length: 9.0 inches nominal III End Item Identification: 5855-01-616-2427	70847	
KE1138	5975-01-565-9712	Strap, Tiedown, Electrical Compone		70847	Quote

FSC 4730 Hose, Pipe, Tube, Lubrication, and Railing Fittings

MFG SKU	NSN	Item Name	Details	CAGE Code	RFQ
C20299	4730-01-657-1985	Clamp, Hose		70847	
M15799	4730-01-660-1724	Clamp, Hose		70847	

FSC 5120 Hand Tools, Nonedged, Nonpowered

MFG SKU	NSN	Item Name	Details	CAGE Code	RFQ
M50389	5120-01-668-2353	Installation Tool, Cable Tie	III Part Name Assigned BY Controlling Agency: Multi-lok tool Special Features: Designed to accept 5/16 and 1/2 inch wide ties	3BBM2	

FSC 5340 Hardware, Commercial

MFG SKU	NSN	Item Name	Details	CAGE Code	RFQ
D50089	5340-01-665-6646	Bolt Assembly, Clamp	Overall Length: 6.00 inches nominal Nominal Thread Size: 0.375 inches III Part Name Assigned BY Controlling Agency: Bolt/clamp	3BBM2	
D50489	5340-01-665-7547	Bolt Assembly, Clamp	Overall Length: 8.00 inches nominal Nominal Thread Size: 0.375 inches III Part Name Assigned BY Controlling Agency: Bolt/clamp	3BBM2	
A31187	5340-01-662-5634	Clamp, Loop	III End Item Identification: 1440-01-586-9261 III Part Name Assigned BY Controlling Agency: Clamp, loop	70847	
G44299	5340-01-665-4105	Seal, Strapping	Width: 1.250 inches nominal III Part Name Assigned BY Controlling Agency: Buckle, giant Material: Steel corrosion resisting	3BBM2	
G43099	5340-01-665-3754	Strapping	Width: 0.750 inches nominal Thickness: 0.440 inches nominal Length: 100.0 feet nominal	3BBM2	
G43299	5340-01-665-3751	Strapping	Width: 1.250 inches nominal Thickness: 0.440 inches nominal Length: 100.0 feet nominal	3BBM2	

FSC 5342 Hardware, Weapon System

MFG SKU	NSN	Item Name	Details	CAGE Code	RFQ
JS2409	5342-00-241-6983	Clamp		70847	